

### The Sensor Web Enablement Framework

(Status and Plans for Sensor Web Technology at OGC)

### Open GIS Consortium, Inc.

OGC Interoperability Program
Harry Niedzwiadek, OGC Architect
27 May 2003

© 2002, 2003, Open GIS Consortium, Inc.

### **Briefing Topics**

- About OGC
- Sensor Web Enablement (SWE) Overview
- SWE Architecture Concepts
- SWE Applications
  - -Relevance to "Intelligent Jobsite"
- SWE Development Plans



### Open GIS Consortium.... Nine Years in the Making

- Not-for-profit, international consortium whose 250+ industry, government, and university members work to make geographic information an integral part of information systems of all kinds
  - Operates a Specification Development Program similar to other Industry consortia (W3C, OMG, etc.).
  - Operates an Outreach Program to facilitate the adoption of OGC technology and to identify new requirements for interoperability.
  - Operates an *Interoperability Program* (IP), an innovative, partnership-driven, hands-on collaborative engineering and testing program designed to deliver proven specifications into the Specification Development Program.

### **OGC Vision**


A world in which everyone benefits from geographic information and services made available across any network, application, or platform.

### **OGC Mission**

Our core mission is to deliver spatial interface specifications that are openly available for global use.



## Open GIS Specifications The Foundation for Collaboration





OGC members are facing the interoperability challenges of next-generation data sharing and collaboration....

Developing new specifications for geospatial interoperability and geo-enabling mainstream IT



## Advancing Specifications Through OGC









## Sensor Web Enablement (SWE) Overview

Open GIS Consortium, Inc.

### What is Sensor Web Enablement?

- The interoperability framework for accessing and utilizing sensors and sensor systems in a <u>space-time context</u> via Network protocols
  - The set of interfaces between users/applications and sensors/sensor systems
  - These interfaces can be easily adapted to other distributed computing platforms
- Conceived from the beginning to deal with all types of sensors and sensor systems
- Applications
  - Surveillance and reconnaissance for near real-time Joint Tactical Operations
  - Homeland security
    - Critical infrastructure protection
      - Emergency preparedness
      - Prevention, detection...
    - Emergency response and recovery
  - Disaster management
    - Emergency preparedness, response and recovery
  - Site monitoring and management
  - And many more....
- Geospatial is a common, foundational property to exploit!



### SWE Scope


- Built over the past two years through a series of fast-track collaborative engineering projects .... continued enhancement planned (with expanding participation)
- Define and develop a common framework for networkcentric sensors and sensor systems
  - Common means to model and encode sensor and sensor platform data
  - Common means to model and encode sensor observations and measurements
  - Common set of interfaces to access and utilize sensor assets
- Supports heterogeneous sensor constellations
- Supports autonomous sensor operations




### **OGC Sensor Web**


- All sensors connected to the Network
- All sensors report position & observations
- Sensor modeling and encoding: SensorML
- Observation modeling and encoding: O&M (GML-based)
- Access observations through Sensor Collection Services
- Plan collections through Sensor Planning Services
- Access sensor-related metadata through Web Registry Services
- User notification through Web Notification Services
- Alerts through Web Alert Services






**Environmental Monitor** 










.... World to Communicate Geographically

### **SWE Operations Concept**

#### Constellations of heterogeneous sensors

#### Vast set of users and application





### Current SWE Specifications

- Sensor Model Language (SensorML) The information models and encodings for sensors and sensor platforms
- Observations & Measurements (O&M) The information models and encodings for observations and measurements
- Sensor Collection Service (SCS) Fetches Observations for a sensor or sensor constellation
  - The intermediary between a client application and an observation repository or near real time sensor channel
- Sensor Planning Service (SPS) Determines collection feasibility and/or processes collection requests for a sensor or sensor constellation
  - The intermediary between a client and a sensor collection management environment
- Web Notification Service (WNS) Executes and manages message dialogue between client and Web service(s) for long duration processes (asynchronous)






## SWE Architecture Concepts

Open GIS Consortium, Inc.

### A Common Reference Architecture



Enterprise viewpoint: articulates a business model that should be understandable by all stakeholders; focuses on purpose, operational objectives, policies, etc.

**Information** viewpoint: characterizes information content and system behavior (i.e., data models, schemas, semantics).

**Computational** viewpoint: captures component and interface details without regard to distribution.

**Engineering** viewpoint: exposes the distributed nature of the system and describes engineering constraints.

Sensor Model Language (SensorML) for In-situ and Remote Sensors, OGC 03-005r1

Observations & Measurements (O&M), OGC 03-022r3

Sensor Collection Service (SCS), OGC 03-023

Sensor Planning Service (SPS), OGC 03-011r1

Web Notification Service (WNS), OGC 03-008r1

Web Alert Service (WAS), Next testbed, OWS 2

### A Common Information Model


### Sensor Models & Encodings (SensorML)

- Sensor identification
- Sensor constraints
- Observables and response characteristics
- Platform to which the sensor is attached
- etc

```
cows:ObservedValue
<ows:observable>
  <ows:ParameterisedObservable gml:id="TMband1">
   <ows:baseObservable xlink:href="#radiance"/;</pre>
   <ows:parameter>
    <ows:TypedValue>
     cows:axis xlink:href="#wayelength"/>
     <ows:value>
      <qml:ValueExtent>
       <gml:low><gml:Quantity uom="#um">0.45/gml:Quantity>/gml:low>
       <qml:high><qml:Quantity uom="#um">0.52/qml:Quantity>
      c/qml·ValueExtents
     </e>
    </ows:TypedValue>
   </e>ows:parameter>
  ows-ParameterisedObservables
 ows:observable
 <ows:value>
  <gml:Quantity uom="#uV">52./gml:Quantity>
 </e>
clows:ObservedValue
```

### Observation Models & Encodings (O&M)

- Weather
- Chemical, Biological, ....
- Imagery




### <u>Layered Geospatial Info Model</u>

- Boundary
- Population
- Critical infrastructure
- Terrain Elevation
- etc



Defines information types, properties, relationships, schemas, semantics and presentation styles and symbols


### **SWE** Architecture



SWE services (yellow), SWE schemas (orange lettering), and other components of a sensing system (light blue)



### Representative In Situ Sensor Configuration








# SWE Applications

Open GIS Consortium, Inc.

### Feb 2002 Demonstration: Featured Toxic Dispersion Events & Environmental Sensors

### "Scientific" View

Analysts and emergency managers monitor conditions in near real time spatial-temporal context.




### "Policy-maker" View

Hot spot areas are correlated with population data and other geospatial data. These maps are used to make decisions about evacuation routes and reoccupation zones.




### "Media/Public" View

Color coded symbols are used to indicate areas at risk and road closures. Other features and landmarks such as roads, buildings, and water bodies are used to add context.





### Nov 2002 Demonstration: Featured UAV, Satellite and In-situ Sensors






Detection, Planning, Response, Recovery

### Imagery Tasking-Collection-Processing-Dissemination-Exploitation Chain

### End-to-end solution for acquiring near-real time imagery

- **Benefits** 
  - Only way to acquire timely data in volatile situations
  - Works for any type of remote imaging sensor
  - Process model is adaptable to any other type of remote sensor

Web Services



SPS processes collection request & interacts with **UAV** Client

Sensor

Planning

Service

4 WNS Notifies Analyst that tasking is successful

Web

Service

otification


6

© 2002, 2003, Open GIS Consortium, Inc.

## Chemical/Biological Threat Monitoring: Support Early Warning Notification

### **Early Warning Notification**

- Common means for sharing location-based emergency notification messages
- Benefits
  - Can remotely control and monitor stationary and mobile detectors over broad area
  - Early detection and assessment is key to swift, effective response and mitigation
  - A network-centric sensor solution means that critical information is available to whomever needs it





### Application to "Intelligent Jobsite"

- SWE Framework provides common, open services for tasking, monitoring, and collecting observations for any and all sensors
  - Also provides basis for expert group to formulate "application schemas" for construction metrology data exchange standards
- Makes sensors just another resource in jobsite applications: safety, security, materials management, asset management, maintenance management, equipment status, construction monitoring, performance monitoring, etc.
  - Would need to develop/enhance applications to exploit this framework
- A key to jobsite automation
- Especially important in time-critical applications that can't be cost effectively accomplished with manual intensive methods
  - Use sensor resources for rapid detection and response
  - Man in the role of decision maker
- Essential for an accurate, shareable common picture of the jobsite (space-time context)
- Other OGC capabilities are germane to site modeling, analysis and visualization and facility life-cycle operations (e.g., now developing models for transportation industry)






## SWE Development Plans

Open GIS Consortium, Inc.

## OGC Web Services Testbed, Phase 2: Starts Sept 2003






## Current Understanding of SWE Objectives for OWS Phase 2

- Further refine and enhance capabilities defined under OWS Phase 1
  - New sensors and sensor systems
  - New observables
  - Enhance SensorML, O&M, SCS, SPS, and WNS based upon lessons learned
  - Registries for sensor types, observable types, sensors, and associated services for improved automation
- Alert and notification capabilities ... towards autonomous sensor operations
  - Enhance Web Notification Service
  - New Web Alert Service (WAS)
- Support "environmental simulation" (meteorological and hydrological) – toxic dispersion models



### Also Combine SWE with Simulation for Environmental Effects



### Schedule for OWS 2 Testbed Project

Call for Sponsors

RFQ released

RFQ responses due

Response Evaluation

Sponsor meeting and final review

Initiative Kick-off

Testbed Development

Final demonstration

June '03

**Early July** 

**Early August** 

**Late August** 

Mid September

Sept '03- Jul'04

Jul'04



### How You Can Participate

- Get involved in the next phase of SWE development, the OGC Web Services, Phase II Testbed Initiative
  - Get involved as a sponsor to set development requirements and priorities
  - Get involved as a participant to define and prototype specifications
  - Contact Jeff Harrison, +1 (703) 491-9543, jharrison@opengis.org for more info

### Join OGC

- Gain access to the specifications and stay connected to the active, growing SWE community
- Work through the Specification Program to advance specifications
- Go to the Website for a membership application, <u>www.opengis.org</u>
- Contact Mark Reichardt, +1 (301) 840-1361,
   mreichardt@opengis.org for more info



### Recommendations

- Sensor Web was designed for all types of sensors and applications, and thus is germane to the *Intelligent Jobsite*, so take advantage of the extensive work already accomplished
  - Good theoretical foundation
  - The core services have already been tested for many types of sensors
- Become actively involved in shaping the SWE Framework to more quickly realize your vision for an *Intelligent Jobsite* through involvement in the OWS 2 Initiative, as a sponsor and/or a participant
- Join OGC to get on the SWE bandwagon
- Form an expert group for construction metrology within the Sensor Web Work Group
- Folks like Mike Botts, PhD (author of SensorML and Chair of the Sensor Web Work Group) are a great asset!





# Thanks!

### Open GIS Consortium, Inc. Contact info for Harry Niedzwiadek

harry1@erols.com

703-669-5510

© 2002, 2003, Open GIS Consortium, Inc.